



Assuring Product Compliance for Industry and Consumers

The following product compliance procedure outline aspects relating to the suitability of a product to comply with specified industry and consumer requirements. As such it enables producers in the timber flooring sector to demonstrate that their products will satisfy both industry and consumer expectations. Notably, this system is designed to support the Federal Government Building Ministers Forum for non-complying building products.

Producers will be required to provide independent certification and/or reports (marked with *) that substantiate and support the validity of the producers claimed compliance and where relevant, meet the minimum requirements set by ATFA and the industry.

ATFA standard minimum requirements:

- VOC emission rate for solvent based coatings, fillers and vapour retarding barriers to be 500 grams per litre or less
- VOC emission rate for water based coatings, fillers and vapour retarding barriers to be 140 grams per litre or less
- VOC emissions rate for adhesives to be 100 grams per litre or less
- For laminate, engineered flooring and bamboo, formaldehyde emission levels no greater that E1
- Board structural integrity product specifications including tolerances and moisture content in keeping with the country of origins manufacturing standard and ATFA industry standards
- Independent certification and/or reports to substantiate * marked items.

While these minimum criteria are essential, the remaining criteria should be listed with the best information available, the more information provided the better for your business.

Pricing

The fees associated with industry product compliance are:

- Initial application per product \$250.00 AUD (inclusive of GST)
- Annual renewal per product \$110.00 AUD (inclusive of GST) this is charged at the beginning of the financial year.

Please note an individual product is one where its name represents the product set (it is fundamentally represented by its name), that is for example where a coating has varying gloss levels within that product name it is still one product. Likewise, one range of say engineered flooring with a variety of species is still one product. Any doubt please contact us at admin@atfa.com.au

ATFA reserves the right to decline any product compliance application and also to terminate product compliance forthwith at the sole discretion of ATFA at any time and any application fee shall, if the product compliance is declined or terminated, be completely forfeited to the ATFA.

By participating in the product compliance program the applicant agrees to indemnify ATFA as follows:

- 1. We acknowledge that by having product compliance approved by ATFA there is no joint venture or partnership created between our company and ATFA and we do not obtain any proprietary interests in the assets of ATFA.
- 2. We agree to inform ATFA of any legal proceedings commenced against our company during the term of our compliance with ATFA and acknowledge that ATFA may terminate our compliance and/or membership without notice in the event that judgment against me remains unsatisfied for 28 days or we are convicted of an offence subject to imprisonment.
- 3. We agree to indemnify ATFA from all claims, losses, costs and damages which are made against ATFA arising from any product failure, insolvency, breach of contract or negligence.

Recognition

You can use the ATFA Compliant Product logo (as on the first page), it's also recommended to add a copy to your website and data sheet. All details of compliant products will be listed on the ATFA website. ATFA provides temporary license to use its trademark and logo while your product compliance is current.



Industry Product Compliance – Timber Floor Coatings

	Applicant:	
	Product Title:	
Australasian timber flooring association		
Local professionals, world-class standards	Date of Application:/	
Please provide answers for the following items		
Manufacturer, if not the applicant?		
Product type description		
Is the product for internal or external use?		
24-hour emergency contact?		
Jurisdiction compliant SDS available from?		
Please provide a copy of your product data shee	t ensuring it includes the following items	
Open/pot life		
Shelf life		
Temperature and/or humidity application range		
Storage and transport temperature limits		
Earliest recommended time a premises may be used after coating		
Safe work practices and health effects		
Please provide statements for the following items (if not on data sheet)		
Durability performance (life expectancy and applier limitations statement)		
Statement outlining compliance with GBCA requirements		
Please provide third party certification for the following items		
*Declared VOC emission results		
*Declared slip resistance certification		



Industry Product Compliance – Timber Floor Adhesives

Australasian timber flooring association Local professionals, world-class standards	Applicant:	
Please provide answers for the following ite	ms	
Manufacturer, if not the applicant?		
Product type description		
What purpose is this product intended for?		
24-hour emergency contact?		
Jurisdiction compliant SDS available from?		
Please provide a copy of your product data s	heet ensuring it includes the following items	
Open/pot life		
Shelf life		
Temperature and/or humidity application range		
Storage and transport temperature limits		
Full cure time (specifying relative humidity and temperature)		
Declared required subfloor conditions prior to application		
Declared moisture resistance properties (where marketed)		
Safe work practices and health effects		
Please provide statements for the following items (if not on the data sheet)		
Durability performance (life expectancy and applier limitations statement)		
Statement outlining compliance with GBCA requirements		
Please provide third party certification for the following items		
*Declared VOC emission results		
*Declared acoustic properties (where marketed)		



Industry Product Compliance – Timber Floor Moisture Vapour Retarding Barriers

	Applicant:	
Australasian timber flooring association Local professionals, world-class standards	Product Title:	
	Date of Application: /	
	· · · · · · · · · · · · · · · · · · ·	
Discourse in the fall of the inclusion		
Please provide answers for the following items		
Manufacturer, if not the applicant?		
Product type description		
What purpose is this product intended for?		
24-hour emergency contact?		
Jurisdiction compliant SDS available from?		
Please provide a copy of your product data sheet e	nsuring it includes the following items	
Open/pot life		
Shelf life		
Temperature and/or humidity application range		
Storage and transport temperature limits		
Declared application thickness		
Minimum and maximum cure time before covering		
Declared required subfloor conditions prior to application		
Safe work practices and health effects		
Please provide statements for the following items	(if not on the data sheet)	
Durability performance (life expectancy and applier	limitations statement)	
Statement outlining compliance with GBCA requirer	nents	
Please provide third party certification for the follo	owing items	
*Declared VOC emission results		
*Declared moisture vapour transmission rate		



Industry Product Compliance – Levelling Compounds

Australasian timber flooring association Local professionals, world-class standards	Product Title: Date of Application://
Please provide answers for the following items	
Manufacturer, if not the applicant?	
Product type description	
s the product for internal or external use or both?	
24-hour emergency contact?	
Iurisdiction compliant SDS available from?	
Please provide a copy of your product data sheet en	suring it includes the following items
Open/pot life and declared shelf life in dry conditions	
Declared application purpose (floated or adhesive fixe	ed floors)
Priming requirements	
Declared surfaces it can be applied over	
Temperature and/or humidity application range	
Storage and transport temperature limits	
Declared minimum application thickness	
Minimum and maximum cure time before covering	
Declared required subfloor conditions prior to applica	tion
Safe work practices and health effects	
Please provide statements for the following items (if	not on the data sheet)
Durability performance (life expectancy and applier lin	mitations statement)
Statement outlining compliance with GBCA requireme	
Please provide third party certification for the follow	ring item
*Declared tensile/compressive strength at 1 and 28 d	ays



Industry Product Compliance – Timber Floor Fillers

	Applicant:				
	Product Title:				
Australasian timber flooring association					
Local professionals, world-class standards	Date o	f Application:/			
Please provide answers for the following items					
Manufacturer, if not the applicant?					
Product type description					
What purpose is this product intended for?					
Filler primary ingredients?					
24-hour emergency contact?					
Jurisdiction compliant SDS available from?					
Please provide a copy of your product data sheet ensuring it includes the following items					
Open/pot life					
Shelf life					
Declared use limitations (e.g. gap size, gap mover	ment, floo	ring moisture content)			
Storage and transport temperature limits					
Cure time					
Safe work practices and health effects					
Please provide statements for the following item	ns (if not o	on the data sheet)			
Durability performance (life expectancy and applier limitations statement)					
Statement outlining compliance with GBCA requi	rements				
Please provide third party certification for the fo	ollowing it	tems			
*Declared VOC emission results					
*Maximum expansion/shrinkage properties					



Industry Product Compliance – Laminate Flooring

	Applicant:	
	Product Title:	
Australasian timber flooring association		
Local professionals, world-class standards	Date of Applica	ation://
Please provide answers for the following items		
Manufacturer, if not the applicant?		
Product type description (HPL, DPL, etc.) and		
manufacturing specification		
Load class to EN 13329 (or declared equivalent)		
Length, width and thickness details and HDF core of	ensity	
Jurisdiction compliant SDS available from?		
Statement outlining compliance with GBCA require	ments	
Please provide a copy of your installation instruct	ons ensuring th	ey include the following items
Subfloor flatness requirements		
Slab and timber/sheet subfloor moisture assessme	nt and moisture	vapour retarding requirements
Underlay requirements		
Perimeter and intermediate expansion/control joir	requirements	
Any conditions relating to where the product cannot be used (e.g. wet areas) or environmental limitations (humidity and temperature)		
Safe work practices, care and maintenance instructions		
Please provide a copy of your product warranty e	suring it includ	es the following items
Period of warranty and what it applies to (e.g. domestic)		
Who is covered, what is and what is not covered		
Please provide third party certification for the following	owing items	
*Declared formaldehyde and VOC emission results		
*Glueless joining system - license to be provided		
*Declared fire resistance		
*Declared slip resistance certification		
*Legal logging certification		
		



Industry Product Compliance – Engineered Flooring

	Applicant:		
	Product Title:		
Australasian timber flooring association		n://	
Local professionals, world-class standards	111111111111111111111111111111111111111		
Please provide answers for the following items			
Manufacturer, if not the applicant?			
Product type description and manufacturing specif	ication		
Board base layer construction type?			
Length (min and max), width, thickness and lamella	a thickness details?		
Coating product and system used (when pre-finish	ed)?		
Jurisdiction compliant SDS available from?			
Statement outlining compliance with GBCA require			
Please provide a copy of your installation instruct	ions ensuring they ir	nclude the following items	
Subfloor flatness requirements (for floated and ad	hesive fixed products	5)	
Slab and timber/sheet subfloor moisture assessment and moisture vapour retarding requirements			
Underlay requirements (when floated)			
Perimeter and intermediate expansion/control join	nt requirements		
Any conditions relating to where the product cannot be used (e.g. wet areas) or environmental limitations (humidity and temperature)			
Safe work practices, care and maintenance instructions			
Please provide a copy of your product warranty e	nsuring it includes th	ne following items	
Period of warranty and what it applies to (e.g. dom	nestic, wear, coating,	structural, etc.)	
Who is covered, what is and what is not covered			
Please provide third party certification for the following	lowing items		
*Declared formaldehyde and VOC emission results			
*Glueless joining system - license to be provided	Or state Tongue an	d Grove:	
*Declared fire resistance			
*Declared slip resistance certification			
*Legal logging certification			



Industry Product Compliance – Imported Prefinished Solid Timber Flooring

	Applicant:
Australasian timber flooring association Local professionals, world-class standards	Product Title:
	Date of Application: /
Please provide answers for the following items	
Manufacturer, if not the applicant?	
Product type description and manufacturing specif	ication (to suit
Australian conditions)	
Length (min and max), width, thickness details?	
Coating product and system used?	
Statement outlining compliance with GBCA require	
Please provide a copy of your installation instruct	ions ensuring they include the following items
Subfloor flatness requirements	
Slab and timber/sheet subfloor moisture assessme	nt and moisture vapour retarding requirements
Perimeter and intermediate expansion allowance r	requirements
Any conditions relating to where the product canno	ot be used (e.g. wet areas) or environmental limitations (humidity and temperature)
Safe work practices, care and maintenance instruct	tions
Please provide a copy of your product warranty e	nsuring it includes the following items
Period of warranty and what it applies to (e.g. dom	estic, wear, coating, structural, etc.)
Who is covered, what is and what is not covered	
Please provide third party certification for the foll	owing items
*Declared VOC emission results	
*Declared fire resistance	
*Declared slip resistance certification	
*Legal logging certification	



Industry Product Compliance – Local and imported solid T&G

®	*Please note: Solid T&G compliance is a step toward full 'ATFA accredited timber flooring manufacturer' status.			
	Applicant:			
	Product Title:			
Australasian timber flooring association				
Local professionals, world-class standards	Date of Application:	//		
Please provide answers for the following items	\$			
Manufacturer, if not the applicant?				
Indicate manufacturing is undertaken to the ma	<u> </u>			
AS 2796.1 (or other Australian grading standard	•			
the manufacturing standard that the flooring is				
Indicate compliance to AS 2796.2 grade descrip				
grading standard) or provide applicable grade d	escriptions (Manufacturer			
or overseas grading rules).				
Product lengths (min and max), widths and thicknesses				
Statement outlining compliance with GBCA req				
* * * * * * * * * * * * * * * * * * * *	uctions, including the follow	ing and/or indicate installation to ATFA Solid Timber Flooring – Industry		
Standard as applicable.				
Subfloor requirements				
Pre-installation requirements				
Methods of installation applicable to the floorir	ng product and details of fixin	g methods		
Perimeter and intermediate expansion allowance requirements				
Safe work practices, care and maintenance inst	ructions			
Compliance to the manufacturing specification	and grading rules			
Confirmation statement that the product is war	ranted to the applicable mar	nufacturing specification and grading rules (Note: some provision is made in		
ATFA's Solid Timber Flooring - Industry Standar	d and AS 2796 for product va	riance in a completed floor. e.g. exposure of features with sanding).		
Please provide third party certification for the	following items			
*Legal logging certification				
ote: ATFA Accredited Timber Flooring Manufacturer members need only provide legal logging certification to comply with product compliance.				



Industry Product Compliance – Bamboo Flooring

Applicant:

Product	Title:	
	Application:/	
Local professionals, world-class standards		
Please provide answers for the following items		
Manufacturer, if not the applicant?		
Product type description and manufacturing specification	1	
Board construction (strand woven, horizontal or vertical,	engineered)?	
Length (min and max), width and thickness?		
Coating product and system used?		
Declared moisture content range at time of production?		
Jurisdiction compliant SDS available from?		
Statement outlining compliance with GBCA requirement	S	
Please provide a copy of your installation instructions e	nsuring they include the following items	
Subfloor flatness requirements (for floated and adhesive	fixed products)	
Slab and timber/sheet subfloor moisture assessment and moisture vapour retarding requirements		
Underlay requirements (when floated)		
Perimeter and intermediate expansion/control joint requ	uirements	
Any conditions relating to where the product cannot be	used (e.g. wet areas) or environmental limitations (humidity and temperature)	
Safe work practices, care and maintenance instructions		
Please provide a copy of your product warranty ensuring	g it includes the following items	
Period of warranty and what it applies to (e.g. domestic)		
Who is covered, what is and what is not covered		
Please provide third party certification for the following	; items	
*Declared formaldehyde and VOC emission results		
*Glueless joining system - license to be provided Or state Tongue and Grove:		
*Declared fire resistance		
*Declared slip resistance certification		
*Legal logging certification		



Industry Product Compliance – Wood Composite Products

alla	Applicant:	
Australasian timber flooring association Local professionals, world-class standards	Date of Application:	
Please provide answers for the following items		
Manufacturer, if not the applicant?		
Product type description (construction) and manuf	acturing specification	
Internal or external use?		
Length (min and max), width and thickness details	and core density?	
Jurisdiction compliant SDS available from?		
Statement outlining compliance with GBCA require		
Please provide a copy of your installation instruct	ions ensuring they includ	de the following items
Subfloor flatness requirements		
Slab and timber/sheet subfloor moisture assessme		retarding requirements
Perimeter and intermediate expansion/control joint requirements		
Any conditions relating to where the product cannot be used (e.g. wet areas) or environmental limitations (humidity and temperature)		
Safe work practices, care and maintenance instructions		
Please provide a copy of your product warranty e	nsuring it includes the fo	ollowing items
Period of warranty and what it applies to (e.g. dom	estic)	
Who is covered, what is and what is not covered		
Please provide third party certification for the foll	• ••	
The second control of	owing items	
*Declared formaldehyde and VOC emission results		
*Declared formaldehyde and VOC emission results		
*Declared formaldehyde and VOC emission results *Glueless joining system - license to be provided		



Industry Product Compliance – Underlays

Australasian timber flooring association Local professionals, world-class standards	Applicant: Product Title: Date of Application://
Please provide answers for the following items	
Manufacturer, if not the applicant?	
Product type description (material type, use as an	
acoustic underlay, etc.?)	
Size product is supplied in?	
Jurisdiction compliant SDS available from?	
Statement outlining compliance with GBCA require	
Please provide copy of your installation instructio	ns and product information ensuring they include the following items
Flooring products the underlay is to be used with	
Thickness	
Compressive strength at 25% compression	
Water vapour transmission (required SD > 75m rec	
ntegrated vapour barrier (thickness > 150um requ	ired) as applicable
Acoustic properties (as applicable)	
Safe work practices and health effects	
Please provide a copy of your product warranty e	nsuring it includes the following items
Period of warranty and what it applies to (e.g. dom	estic)
Who is covered, what is and what is not covered	
Please provide third party certification for the foll	owing item
*Declared VOC emission results	



Industry Product Compliance – Equipment

Australasian timber flooring association Local professionals, world-class standards	Product	nt: : Title: Application: / /	
Please provide answers for the following items			
Manufacturer, if not the applicant?			
Product type description (sander, edger, buffer, nailer,			
clamps, other, etc) and specifications			
Specified use for this product?			
Please provide copy of your operating instructions, technical data and product information ensuring they include the following items			
Features and use			
Equipment range			
Safety features			
Care and maintenance			
Applicable use with timber			
Safe work practices and health effects			
Please provide statements for the following items (if not on the technical data sheet)			
Statement that equipment is only used in keeping with installation and/or sanding methods outlined in ATFA Industry Standard publications.			
Please provide a copy of your product warranty e	nsuring it	t includes the following items	
Period of warranty and what it applies to			
Who is covered, what is and what is not covered			
Please provide third party certification for the following item			
Electrical safety certificate for use in the country intended			



Industry Product Compliance – Abrasives

Australasian timber flooring association Local professionals, world-class standards	Applicant: Product Title: Date of Application: /		
Please provide answers for the following items			
Manufacturer, if not the applicant?			
Product type description (paper base and grit types plus			
grit range, screens, other) and intended use			
Sizes product is supplied in?			
Jurisdiction compliant SDS available from?			
Please provide a copy of your product data sheet ensuring it includes the following items			
Limitations of use			
Applicable equipment that it can be used with			
Required storage conditions			
Safe work practices and health effects			
Please provide statements for the following items (if not on the technical data sheet)			
Durability performance (life expectancy and user limitations statement)			
Please provide a copy of your product warranty ensuring it includes the following items			
Who is covered, what is and what is not covered			