

## Guide for Volatile Organic Compound (VOC) Compliance

VOC (Volatile Organic Compound Content) is essentially the solvent content of a coating or adhesive product. The GBCA (Green Building Council of Australia) have issued guidelines for VOC emissions within buildings that may relate to the health impact on occupants, which ATFA is subsequently working with industry in an effort to achieve.

The following points are advised:

1. The GBCA requirements are basically that of solvent content, or more precisely Volatile Organic Compound content (VOC).
2. Toxicity and VOC are not necessarily related. Low VOC does not necessarily mean lower toxicity than a high VOC coating or vice versa. Toxicity depends on type of solvent and the proportion of the solvent in the wet product.
3. Accordingly if toxicity information is required, the Material Safety Data Sheet (MSDS) of the product should be referred to prior to use of any product: web references are as indicated in the following tables.
4. The VOC's listed have been calculated on the European definition which Australia has also adopted – basically all solvents with boiling points below 250 deg C are considered VOC's. When consulting the manufacturer MSDS be aware that a different calculation method for the VOC may have been made – for example the USA method is to calculate VOC on the basis of VOC % after water has been removed from the formulation – unlike in Europe and Australia, in the USA some very volatile solvents are considered VOC exempt if they do not cause photo chemical smog.
5. AFTA has compiled the following as a guide only, which is believed to be correct at the time of publication.

Note: To ensure this document remains current it is requested that all named manufacturers advise ATFA immediately of any change. Changes will subsequently be maintained on the web based version of the document. Anyone holding this document should refer to [www.atfa.com.au](http://www.atfa.com.au) 'consumer services' for the latest version of this document. ATFA bears no liability for data provided by the contributing companies.



## Waterborne Coatings

Complies to AFTA 2010 guideline of 140 g/L

Does not comply to ATFA 2010 guideline

Product	Type	V.O.C. in Grams / Litre	Toxicity – refer to Manufacturer MSDS
The Traditional Stain Company Akwa Stain	Stain	0	<a href="http://www.traditionalstainco.com.au">www.traditionalstainco.com.au</a>
The Traditional Stain Company Eco Stain	Stain	0	<a href="http://www.traditionalstainco.com.au">www.traditionalstainco.com.au</a>
Peerless JAL Hy-Bridge	Intermediate Primer	10	<a href="http://www.peerlessjal.com.au/msds-pis/hyseries.html">http://www.peerlessjal.com.au/msds-pis/hyseries.html</a>
Peerless JAL Hy-Prime	Primer	10	<a href="http://www.peerlessjal.com.au/msds-pis/hyseries.html">http://www.peerlessjal.com.au/msds-pis/hyseries.html</a>
Bona Freshen Up	Maintenance Coating	20	<a href="http://www.bona.net.au/Contractors/Products/Maintenancecommercial.aspx">http://www.bona.net.au/Contractors/Products/Maintenancecommercial.aspx</a>
Bona Classic	Primer / Sealer	24	<a href="http://www.bona.net.au/Contractors/Products/Coatings.aspx">http://www.bona.net.au/Contractors/Products/Coatings.aspx</a>
Puraseal	Primer / Sealer	28	<a href="http://www.urethanecoatings.com.au">www.urethanecoatings.com.au</a>
Loba Exotengrund	Primer / Sealer	32	<a href="http://www.loba.de/pages_en/lobadur/lobadur.php">http://www.loba.de/pages_en/lobadur/lobadur.php</a>
Peerless JAL Hy-Deck	1 pack Hybrid	42	<a href="http://www.peerlessjal.com.au/msds-pis/hyseries.html">http://www.peerlessjal.com.au/msds-pis/hyseries.html</a>
Lobadur 2K Duo	2 pack PU	49	<a href="http://www.loba.de/pages_en/lobadur/lobadur.php">http://www.loba.de/pages_en/lobadur/lobadur.php</a>
Bona Mega Matt	1 Pack PU	52	<a href="http://www.bona.net.au/Contractors/Products/Coatings.aspx">http://www.bona.net.au/Contractors/Products/Coatings.aspx</a>
Bona Mega Satin (SM)	1 Pack PU	54	<a href="http://www.bona.net.au/Contractors/Products/Coatings.aspx">http://www.bona.net.au/Contractors/Products/Coatings.aspx</a>
Bona Mega Gloss	1 Pack PU	56	<a href="http://www.bona.net.au/Contractors/Products/Coatings.aspx">http://www.bona.net.au/Contractors/Products/Coatings.aspx</a>
Synteko Pro	1 pack PU	55	<a href="http://www.synteko.com.au/products/finishes/contractor.htm">http://www.synteko.com.au/products/finishes/contractor.htm</a>
Synteko Basic	1 pack PU	56	<a href="http://www.synteko.com.au/products/finishes/contractor.htm">http://www.synteko.com.au/products/finishes/contractor.htm</a>
Bona Intense	Primer / Sealer	57	<a href="http://www.bona.net.au/Contractors/Products/Coatings.aspx">http://www.bona.net.au/Contractors/Products/Coatings.aspx</a>
Bona Novia Satin (SM)	Primer / Sealer & 1 Pack PU	58	<a href="http://www.bona.net.au/Contractors/Products/Coatings.aspx">http://www.bona.net.au/Contractors/Products/Coatings.aspx</a>
Lobadur Globaseal	Primer / Sealer	59	<a href="http://www.loba.de/pages_en/lobadur/lobadur.php">http://www.loba.de/pages_en/lobadur/lobadur.php</a>
Toby Aquamax Roller Seal	Primer / Sealer	<60	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
ICA SpA FA45	2 pack primer/sealer	70	<a href="http://www.pacificfloors.net.au/coatings/technicalinformation">http://www.pacificfloors.net.au/coatings/technicalinformation</a>
Synteko Top	1 pack PU	70	<a href="http://www.synteko.com.au/products/finishes/contractor.htm">http://www.synteko.com.au/products/finishes/contractor.htm</a>
Bona Sportive Matt	2 Pack PU	73	<a href="http://www.bona.net.au/Contractors/Products/Sportsfloorsystem1.aspx">http://www.bona.net.au/Contractors/Products/Sportsfloorsystem1.aspx</a>

## Waterborne Coatings

Complies to AFTA 2010 guideline of 140 g/L

Does not comply to ATFA 2010 guideline

Product	Type	V.O.C. in Grams / Litre	Toxicity – refer to Manufacturer MSDS
Lobadur WS 2K Supra AT	2 pack PU	73	<a href="http://www.loba.de/pages_en/lobadur/lobadur.php">http://www.loba.de/pages_en/lobadur/lobadur.php</a>
Lobadur EasyPrime	Primer / Sealer	75	<a href="http://www.loba.de/pages_en/lobadur/lobadur.php">http://www.loba.de/pages_en/lobadur/lobadur.php</a>
Bona Naturale	2 pack PU	79	<a href="http://www.bona.net.au/pdf/MSDS_Prime.pdf">http://www.bona.net.au/pdf/MSDS_Prime.pdf</a>
Bona Sportive Gloss	2 Pack PU	74	<a href="http://www.bona.net.au/Contractors/Products/Sportsfloorsystem1.aspx">http://www.bona.net.au/Contractors/Products/Sportsfloorsystem1.aspx</a>
Bona Mega Extra Matt	1 Pack PU	74	<a href="http://www.bona.net.au/Contractors/Products/Coatings.aspx">http://www.bona.net.au/Contractors/Products/Coatings.aspx</a>
Bona Naturale 2K	2 Pack PU	79	<a href="http://www.bona.net.au/Contractors/Products/Coatings.aspx">http://www.bona.net.au/Contractors/Products/Coatings.aspx</a>
Loba Hybrid AT	1 pack PU	79	<a href="http://www.loba.de/pages_en/lobadur/lobadur.php">http://www.loba.de/pages_en/lobadur/lobadur.php</a>
Purashine	Polish	79 average	<a href="http://www.urethanecoatings.com.au">www.urethanecoatings.com.au</a>
Bona Sportive Primer	Primer/ Sealer	81	<a href="http://www.bona.net.au/Contractors/Products/Sportsfloorsystem1.aspx">http://www.bona.net.au/Contractors/Products/Sportsfloorsystem1.aspx</a>
Bona Traffic Anti Slip	2 Pack PU	82	<a href="http://www.bona.net.au/Contractors/Products/Coatings.aspx">http://www.bona.net.au/Contractors/Products/Coatings.aspx</a>
Peerless JAL Hy-Traffic	2 pack Hybrid	83	<a href="http://www.peerlessjal.com.au/msds-pis/hyseries.html">http://www.peerlessjal.com.au/msds-pis/hyseries.html</a>
Bona Traffic Matt (IP)	2 Pack PU	84	<a href="http://www.bona.net.au/Contractors/Products/Coatings.aspx">http://www.bona.net.au/Contractors/Products/Coatings.aspx</a>
Synteko Sealmaster	Primer / Sealer	85	<a href="http://www.synteko.com.au/products/finishes/contractor.htm">http://www.synteko.com.au/products/finishes/contractor.htm</a>
Bona Traffic Satin (SM)	2 Pack PU	87	<a href="http://www.bona.net.au/Contractors/Products/Coatings.aspx">http://www.bona.net.au/Contractors/Products/Coatings.aspx</a>
ICA SpA "G" Series	2 pack PU	90	<a href="http://www.pacificfloors.net.au/coatings/technicalinformation">http://www.pacificfloors.net.au/coatings/technicalinformation</a>
Intergrain Enviropro Timberseal	Primer / Sealer	91	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Toby Aquamax Domestic	1 pack PU	<70	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Intergrain Enviropro Endure	1 pack PU	<70	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Loba VIVA	1 pack PU	99	<a href="http://www.loba.de/pages_en/lobadur/lobadur.php">http://www.loba.de/pages_en/lobadur/lobadur.php</a>
Lobadur WS Easy Finish	1 pack PU	99	<a href="http://www.loba.de/pages_en/lobadur/lobadur.php">http://www.loba.de/pages_en/lobadur/lobadur.php</a>
Premium Aqua Gold	2 pack PU	100	<a href="http://www.premiumfloors.com.au/pdf/pdf708.pdf">http://www.premiumfloors.com.au/pdf/pdf708.pdf</a>
Bona Naturale Base	Primer/Sealer	100	<a href="http://www.bona.net.au/Contractors/Products/Coatings.aspx">http://www.bona.net.au/Contractors/Products/Coatings.aspx</a>
Synteko Sealmaster	Primer/Sealer	104	<a href="http://www.synteko.com.au/products/finishes/contractor.htm">http://www.synteko.com.au/products/finishes/contractor.htm</a>
Absolute Coatings Grand	1 pack Oil Modified PU	105	<a href="http://www.synteko.com.au/products/finishes/contractor.htm">http://www.synteko.com.au/products/finishes/contractor.htm</a>
Absolute Coatings LNL-100SA	Sealer	105	<a href="http://www.synteko.com.au/products/finishes/contractor.htm">http://www.synteko.com.au/products/finishes/contractor.htm</a>

## Waterborne Coatings

Complies to AFTA 2010 guideline of 140 g/L

Does not comply to ATFA 2010 guideline

Product	Type	V.O.C. in Grams / Litre	Toxicity – refer to Manufacturer MSDS
Absolute Coatings	1 pack PU	105	<a href="http://www.synteko.com.au/products/finishes/contractor.htm">http://www.synteko.com.au/products/finishes/contractor.htm</a>
Synteko Best	2 pack PU	105	<a href="http://www.synteko.com.au/products/finishes/contractor.htm">http://www.synteko.com.au/products/finishes/contractor.htm</a>
Bostik Natrathane	1 pack PU	106	Request via 1800 621 221
Purathane	1 pack PU	112 average	<a href="http://www.urethanecoatings.com.au">www.urethanecoatings.com.au</a>
Synteko Star	2 pack PU	114	<a href="http://www.synteko.com.au/products/finishes/contractor.htm">http://www.synteko.com.au/products/finishes/contractor.htm</a>
Absolute Coatings Trek	2 pack PU	117	<a href="http://www.synteko.com.au/products/finishes/contractor.htm">http://www.synteko.com.au/products/finishes/contractor.htm</a>
Feast Watson Enviromax	2 pack PU	<100	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Intergrain Enviropro Endure 2K	2 pack PU	<100	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Enviropro Timber Seal Ultra	primer/ sealer	<140	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Toby Aquamax Commercial Sport	2 pack PU	<140	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Polycure Aquapro 8068 Hitek	1 pack PU	<140	<a href="http://www.polycure.com.au">www.polycure.com.au</a>
Purathane Two Pack	2 pack PU	148 average	<a href="http://www.urethanecoatings.com.au">www.urethanecoatings.com.au</a>
Intergrain Enviropro High Build	1 pack PU	<100g/L	<a href="http://www.duspec.com.au">www.duspec.com.au</a>

PU = Polyurethane

PUD = Polyurethane Dispersion

Brand	Supplier
Absolute Coatings	Synteko
Bona	Ezi Floor Products
Feast Watson	Cabot's
ICA	Pacific Floors
Intergrain Enviropro	Cabot's
Loba and Lobadur	Swadesir
Premiumset	Peak Chemicals
Timberex	Ezi Floor Products
Toby	Cabot's
Treatex	Whittle Waxes
All other brands are sold by the brand named company	

## Alternative Coatings (Penetrating Oils & Waxes)

Complies to AFTA 2010 guideline of 500 g/L

Does not comply to ATFA 2010 guideline

Product	Type	V.O.C. in Grams / Litre	Toxicity – refer to Manufacturer MSDS
Livos Linus Priming Oil # 260	Penetrating Oil	0	<a href="http://www.livos.com.au">www.livos.com.au</a>
Loba 2K Impact Oil	Penetrating Oil 2 Pack	0	<a href="http://www.loba.de/pages_en/lobadur/lobadur.php">http://www.loba.de/pages_en/lobadur/lobadur.php</a>
Loba Akzent Oil	Penetrating Oil	0	<a href="http://www.loba.de/pages_en/lobadur/lobadur.php">http://www.loba.de/pages_en/lobadur/lobadur.php</a>
Loba HS Select	Oil / Wax	0	<a href="http://www.loba.de/pages_en/lobadur/lobadur.php">http://www.loba.de/pages_en/lobadur/lobadur.php</a>
Rubio Monocoat Oil Plus 2C	Bonding Oil	0	<a href="mailto:info@rubiomonocoat.com.au">info@rubiomonocoat.com.au</a>
Rubio Monocoat Precolour Aqua W/B	Oil pre-treatment	0	<a href="mailto:info@rubiomonocoat.com.au">info@rubiomonocoat.com.au</a>
Rubio Monocoat Fumed/Smoked/Tanned W/B	Oil pre-treatment	0	<a href="mailto:info@rubiomonocoat.com.au">info@rubiomonocoat.com.au</a>
Treatex Eco	Penetrating Oil	<1	<a href="http://www.whittlewaxes.com.au">www.whittlewaxes.com.au</a>
Synteko Natural	Penetrating Oil	1	<a href="http://www.synteko.com.au/products/finishes/contractor.htm">http://www.synteko.com.au/products/finishes/contractor.htm</a>
Timberex Wax oil	Buffable Wax Oil	8.3	<a href="http://www.timberex.com.au/wax_oil.php">http://www.timberex.com.au/wax_oil.php</a>
Timberex Free	High Solids Oil	13	<a href="http://www.timberex.com.au/free.php">http://www.timberex.com.au/free.php</a>
Livos Koimos High Solid Wood Oil #208	Penetrating Oil	26	<a href="http://www.livos.com.au">www.livos.com.au</a>
Loba Deck and Teak Oil	Penetrating Oil	200	<a href="http://www.loba.de/pages_en/lobadur/lobadur.php">http://www.loba.de/pages_en/lobadur/lobadur.php</a>
Timberex Satin Oil Gold	Maintenance Oil	206	<a href="http://www.timberex.com.au/satin_oil_gold.php">http://www.timberex.com.au/satin_oil_gold.php</a>
Timberex Satin Oil Gold Mousse	Maintenance Mousse	332	<a href="http://www.timberex.com.au/satin_oil_mousse.php">http://www.timberex.com.au/satin_oil_mousse.php</a>
Livos - Kunos Natural Oil Sealer #244	Penetrating Oil Sealer	429	<a href="http://www.livos.com.au">www.livos.com.au</a>
Timberex Hard Wax Oil Satin	Hard Wax oil	434.4	<a href="http://www.timberex.com.au/hard_wax_oil.php">http://www.timberex.com.au/hard_wax_oil.php</a>
Synteko Urethane	Alkyd Urethane	448	<a href="http://www.synteko.com.au/products/finishes/contractor.htm">http://www.synteko.com.au/products/finishes/contractor.htm</a>
Treatex Wax	Hard wax oil	450	<a href="http://www.treatex.co.uk/PDFs/Treatex%20Hardwax%20Oil%20Traditional%20Clear%20Satin%2011001.pdf">http://www.treatex.co.uk/PDFs/Treatex%20Hardwax%20Oil%20Traditional%20Clear%20Satin%2011001.pdf</a>
Loba Markant Hardwax Oil	Oil / Wax	460	<a href="http://www.loba.de/pages_en/lobadur/lobadur.php">http://www.loba.de/pages_en/lobadur/lobadur.php</a>
Timberex Timberguard	External Oil	468	<a href="http://www.timberex.com.au/timberguard.php">http://www.timberex.com.au/timberguard.php</a>
Timberex Heavy Duty	Penetrating Oil	474	<a href="http://www.timberex.com.au/heavy_duty_oil.php">http://www.timberex.com.au/heavy_duty_oil.php</a>
Whittle Waxes Hardwax Oil 41	Oil / Wax	480	<a href="http://www.whittlewaxes.com.au">www.whittlewaxes.com.au</a>
Whittle Waxes Hardwax Oil	Oil / Wax	480	<a href="http://www.whittlewaxes.com.au">www.whittlewaxes.com.au</a>
Livos – Ardvos Universal Wood Oil #266	Penetrating Oil	498	<a href="http://www.livos.com.au">www.livos.com.au</a>

## Alternative Coatings (Penetrating Oils & Waxes)

Complies to AFTA 2010 guideline of 500 g/L

Does not comply to ATFA 2010 guideline

Product	Type	V.O.C in grams / Litre	Toxicity – refer to Manufacturer MSDS
Treatex Traditional	Oil / Wax	500	<a href="http://www.whittlewaxes.com.au">www.whittlewaxes.com.au</a>
Timberex Hard Wax Oil Matt	Hard Wax Oil	527.4	<a href="http://www.timberex.com.au/hard_wax_oil.php">http://www.timberex.com.au/hard_wax_oil.php</a>
Whittle Waxes Object Oil	Penetrating Oil	530	<a href="http://www.whittlewaxes.com.au">www.whittlewaxes.com.au</a>
Whittle Waxes PNZ Primer	Penetrating oil	540	<a href="http://www.whittlewaxes.com.au">www.whittlewaxes.com.au</a>

\*Note. It is policy of the ATFA that where **any** solvent emission occurs from a coating, a respirator is recommended. It is acknowledge that this may contradict some manufacturer's advice, but the ATFA have based this policy on the premises that no exposure is a good exposure.

## Solventborne Coatings

Complies to AFTA 2010 guideline of 500 g/L

Does not comply to ATFA 2010 guideline

Product	Type	V.O.C in grams / Litre	Toxicity – refer to Manufacturer MSDS
Lobadur Primaseal	Primer / Sealer	98	<a href="http://www.loba.de/pages_en/lobadur/lobadur.php">http://www.loba.de/pages_en/lobadur/lobadur.php</a>
Polycure Ultra Gloss 5870	MC PU	300	<a href="http://www.polycure.com.au">www.polycure.com.au</a>
Polycure Crystapol 5970 Gloss	MC PU	300	<a href="http://www.polycure.com.au">www.polycure.com.au</a>
Premium High Build	MCPU	450	<a href="http://www.premiumfloors.com.au/pdf/pdf701.pdf">http://www.premiumfloors.com.au/pdf/pdf701.pdf</a>
Toby Supreme	MC PU	450	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Duothane Part A/Part B	2 pack PU	474	<a href="http://www.urethanecoatings.com.au">www.urethanecoatings.com.au</a>
Duothane Fast	2 pack PU	476	<a href="http://www.urethanecoatings.com.au">www.urethanecoatings.com.au</a>
Monothane HS50	MC PU	489	<a href="http://www.urethanecoatings.com.au">www.urethanecoatings.com.au</a>
Feast Watson Quickstep	MC PU Sealer	<500	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Polycure AK/BK	2 pack PU	500	<a href="http://www.polycure.com.au">www.polycure.com.au</a>
Polycure Durapol 1050 Max Gloss	MC PU	500	<a href="http://www.polycure.com.au">www.polycure.com.au</a>
Premium 2 Pack	2 pack PU	520	<a href="http://www.premiumfloors.com.au/pdf/pdf704.pdf">http://www.premiumfloors.com.au/pdf/pdf704.pdf</a>
Monothane 45	MC PU	525	<a href="http://www.urethanecoatings.com.au">www.urethanecoatings.com.au</a>
Premium Gold	MC PU	530	<a href="http://www.premiumfloors.com.au/pdf/pdf700.pdf">www.premiumfloors.com.au/pdf/pdf700.pdf</a>

## Solventborne Coatings

Complies to AFTA 2010 guideline of 500 g/L

Does not comply to ATFA 2010 guideline

Product	Type	V.O.C in grams / Litre	Toxicity – refer to Manufacturer MSDS
Monothane 44	MC PU	540	<a href="http://www.urethanecoatings.com.au">www.urethanecoatings.com.au</a>
Toby Lustapol	2 pack PU	540	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Polycure 1045	MC PU	550	<a href="http://www.polycure.com.au">www.polycure.com.au</a>
Feast Watson Maxithane	MC PU	<555	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Feast Watson Maxithane Non Yellowing	MC PU Aliphatic	<565	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Polycure 1044	MC PU	600	<a href="http://www.polycure.com.au">www.polycure.com.au</a>
Toby Unithane	MC PU	<625	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Urethane Coatings Timberseal	Vinyl Fast Sealer	639	<a href="http://www.urethanecoatings.com.au">www.urethanecoatings.com.au</a>
Toby GF Barrier Seal	Vinyl Fast Dry Sealer	<685	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Premium Timber Sealer	Sealer	690	<a href="http://www.premiumfloors.com.au/pdf/pdf703.pdf">http://www.premiumfloors.com.au/pdf/pdf703.pdf</a>
Polycure 5537 Fast Sealer	2 Pack PU Sealer	720	<a href="http://www.polycure.com.au">www.polycure.com.au</a>
Premium Fast Timber Sealer	Vinyl fast Dry Sealer	760	<a href="http://www.premiumfloors.com.au/pdf/pdf703.pdf">http://www.premiumfloors.com.au/pdf/pdf703.pdf</a>
Feast Watson Maxiprime	Fast Dry Sealer	<770	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Feast Watson Maxibuild Primer	Fast Dry Sealer	<770	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Toby Rapid Seal	Vinyl Fast Dry Sealer	<795	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Bostik Quick Dry Sealer	Vinyl fast Sealer	814	<a href="http://www.bostik.com.au">www.bostik.com.au</a> or Request via 1800 621 221
Polycure 3030	Vinyl Fast Sealer	870	<a href="http://www.polycure.com.au">www.polycure.com.au</a>
Feast Watson Hi Build 55	MC PU	Unknown	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Feast Watson PolyU 4060	MC PU	Unknown	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Feast Watson PolyU 4595	MC PU	Unknown	<a href="http://www.duspec.com.au">www.duspec.com.au</a>

MC = Moisture Cure

PU = Polyurethane

## Oil Modified Coatings (Alkyds & Acid Cures)

Complies to AFTA 2010 guideline of 500 g/L

Does not comply to ATFA 2010 guideline

Product	Type	V.O.C in grams / Litre	Toxicity – refer to Manufacturer MSDS
Toby Tung Oil Seal	Alkyd	<405	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Synteko Classic	Acid cure	<438	<a href="http://www.synteko.com.au/products/finishes/contractor.htm">http://www.synteko.com.au/products/finishes/contractor.htm</a>
Feast Watson Alkathane	Alkyd Urethane	<475	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Feast Watson Alkathane HS	Alkyd Urethane High Solids	<475	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Bostik Ultrathane	OMU	486	<a href="http://www.bostik.com.au">www.bostik.com.au</a> or Request via 1800 621 221
Toby UMO	Urethane Modified Oil	<490	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Premium Classic Acid Cure	Acid Cure	500	<a href="http://www.premiumfloors.com.au">www.premiumfloors.com.au</a>
Peerless JAL Dual Coat	OMU	525	<a href="http://www.peerlessjal.com.au/msds-pis/peerjal.html">http://www.peerlessjal.com.au/msds-pis/peerjal.html</a>
Urethane Coatings Tungseal	Alkyd	542	<a href="http://www.urethanecoatings.com.au">www.urethanecoatings.com.au</a>
Urethane Coatings Modified Oil Gloss	Modified Alkyd	543	<a href="http://www.urethanecoatings.com.au">www.urethanecoatings.com.au</a>
Urethane Coatings Modified Oil Satin	Modified Alkyd	555	<a href="http://www.urethanecoatings.com.au">www.urethanecoatings.com.au</a>
Bostik Tung Oil	Alkyd	556	<a href="http://www.bostik.com.au">www.bostik.com.au</a> or Request via 1800 621 221
Feast Watson Tung Oil	Tung Oil Alkyd	<580	<a href="http://www.duspec.com.au">www.duspec.com.au</a>
Premium Modified Oil	OMU	600	<a href="http://www.premiumfloors.com.au/pdf/pdf706.pdf">http://www.premiumfloors.com.au/pdf/pdf706.pdf</a>
Peerless JAL Tung Oil	Alkyd	602	<a href="http://www.peerlessjal.com.au/msds-pis/peerjal.html">http://www.peerlessjal.com.au/msds-pis/peerjal.html</a>

Please find adhesives on the next page.



## Adhesives

Complies to AFTA 2010 guideline of 100 g/L

Does not comply to ATFA 2010 guideline

Product	Type	V.O.C in grams / Litre	Toxicity – refer to Manufacturer MSDS
Bona R850	MC Silane	0	<a href="http://www.bona.net.au/Contractors/Products/Adhesives.aspx">http://www.bona.net.au/Contractors/Products/Adhesives.aspx</a>
Bona R850T	MC Silane	0	<a href="http://www.bona.net.au/Contractors/Products/Adhesives.aspx">http://www.bona.net.au/Contractors/Products/Adhesives.aspx</a>
Loba – Wakol MS260	MC Silane	0	<a href="http://www.loba.de/pages_en/lobadur/lobadur.php">http://www.loba.de/pages_en/lobadur/lobadur.php</a>
Loba – Wakol PU280	Concrete Primer	0	<a href="http://www.loba.de/pages_en/lobadur/lobadur.php">http://www.loba.de/pages_en/lobadur/lobadur.php</a>
Premiumset	MC PU	0	<a href="http://www.peakchemicals.com.au">www.peakchemicals.com.au</a>
Stauf PUM 950	MC PU	0	<a href="http://www.stauf.com.au">www.stauf.com.au</a>
Stauf SMP 960	MC Silane	0	<a href="http://www.stauf.com.au">www.stauf.com.au</a>
Mapei Eco Prim T	Concrete Primer	< 1	<a href="http://www.mapei.com.au">www.mapei.com.au</a>
Mapei Mapeprim SP	Concrete Primer	< 1	<a href="http://www.mapei.com.au">www.mapei.com.au</a>
Bostik Ultraset SF	MC PU	< 2	<a href="http://www.bostik.com.au">www.bostik.com.au</a> or Request via 1800 621 221
Mapei Primer G	Concrete Primer	2.6	<a href="http://www.mapei.com.au">www.mapei.com.au</a>
Mapei Triblock	Concrete Primer	< 5	<a href="http://www.mapei.com.au">www.mapei.com.au</a>
Mapei Ultrabond P990 1K	MC PU	< 5	<a href="http://www.mapei.com.au">www.mapei.com.au</a>
Synteko – Shonox MS Elastic	MC PU	< 5	<a href="http://www.schoenox.com/site/data/prod/pdf/en/s/0010172000.f78201fb0.pdf">http://www.schoenox.com/site/data/prod/pdf/en/s/0010172000.f78201fb0.pdf</a>
RLA RL1017	MC PU	6	Request via 1800 242 931
Bostik Timberset	MC WB Latex	15	<a href="http://www.bostik.com.au">www.bostik.com.au</a> or Request via 1800 621 221
Sikafloor Primer MB	Primer for adhesive	24	<a href="http://www.sika.com.au/cmc/sika_construction_product_listing.htm">http://www.sika.com.au/cmc/sika_construction_product_listing.htm</a>
Bostik Ultraset Overlay	MC PU	44	<a href="http://www.bostik.com.au">www.bostik.com.au</a> or Request via 1800 621 221
RLA GS500 Safe Grip	Polymer	45	Request via 1800 242 931
Sikabond T55J	MC PU	55	<a href="http://www.sika.com.au/cmc/sika_construction_product_listing.htm">http://www.sika.com.au/cmc/sika_construction_product_listing.htm</a>
Sikabond T53	MC PU	64	<a href="http://www.sika.com.au/cmc/sika_construction_product_listing.htm">http://www.sika.com.au/cmc/sika_construction_product_listing.htm</a>
Bostik Ultraset	MC PU	80	<a href="http://www.bostik.com.au">www.bostik.com.au</a> or Request via 1800 621 221
Selleys Liquid Nails Direct Stick LF	MC PU	80	<a href="http://msds.orica.com/cgi-bin/getmsds.cgi?brand=OnlineSelleysAdhesives&amp;country=AU&amp;style=4">http://msds.orica.com/cgi-bin/getmsds.cgi?brand=OnlineSelleysAdhesives&amp;country=AU&amp;style=4</a>
Construction Chemicals Foamgrip	MC PU	85	<a href="http://www.constructionchemicals.com.au">www.constructionchemicals.com.au</a>
Selleys Liquid Nails Direct Stick	MC PU	92	<a href="http://msds.orica.com/cgi-bin/getmsds.cgi?brand=OnlineSelleysAdhesives&amp;country=AU&amp;style=4">http://msds.orica.com/cgi-bin/getmsds.cgi?brand=OnlineSelleysAdhesives&amp;country=AU&amp;style=4</a>
Selleys Liquid Nails Direct Stick low odour	MC PU	93	<a href="http://msds.orica.com/cgi-bin/getmsds.cgi?brand=OnlineSelleysAdhesives&amp;country=AU&amp;style=4">http://msds.orica.com/cgi-bin/getmsds.cgi?brand=OnlineSelleysAdhesives&amp;country=AU&amp;style=4</a>
Bostik AVS AV525	MC PU	97	<a href="http://www.bostik.com.au">www.bostik.com.au</a> or Request via 1800 621 221
Holdfast 7800	MC PU	TBA	Request via <a href="mailto:info@holdfastadhesives.com.au">info@holdfastadhesives.com.au</a>
Stauf WFR 930	Alcohol	326	<a href="http://www.stauf.com.au">www.stauf.com.au</a>

MC = Moisture Cure  
PU = Polyurethane